

Android Application for Disaster Recovery

Supriya Badwar
Patliputra 3, Flat No.-6
Indranagri, Trimurti
Chowk, Nashik- 422009

Mayuri Shirore
Flat No.-3, Shreeniwas
S.T.Colony, Gangapur
Road, Nashik- 422005

Shweta Shinde
Gajalaxmi Ro-House
No.-4
Indranagri, Trimurti
Chowk, Nashik- 422009

Ashwini Pawar
Yeshodai Society, Room
No.- 538
Jadhav Sankul, Ashok
Nagar, Satpur, Nashik-
422012

ABSTRACT

We design how to use networks with smart phones for providing communications in disaster recovery. By lessening the communication gap among different kinds of wireless networks, we have designed and implemented a system, which provides Android phones the capabilities on communications in disaster helper. Application consists of two components: a messaging system between rescue worker and the victim and a self-rescue system. The messaging system between rescue worker and victim integrates cellular networking enables proper communication. The self-rescue system finds different communication network ways for trapped survivors. Such a group of Android phones can cooperatively get a notification and send out emergency messages in an energy-efficient manner with their location and position information so as to help rescue operations. We have implemented application as a prototype application on the Android platform and deployed it on all types of smartphones. We are creating application with a centralized server for communication. First for the admin who will monitor victim and rescue worker and other two for rescue worker and disaster victim.

General Terms

Android, AES, Disaster, Wireless network

Keywords

Smartphones, Routing, Disaster Recover, Wi-Fi, Bluetooth

1. INTRODUCTION

Today mobile and mobile based applications have become an integral part of our day to day life. With the revolution in mobile computing, many great features were added to the field and the mobiles got smaller, faster and better as the decade passed. It gave rise to the introduction of new mobile-based operating systems where the programmers were presented with an open source operating system named "ANDROID". With the introduction of android, the programmers were free to program freely and with the much-awaited programming language as the programmers did not have to learn anything new. The android was a handsome mixture of java and mobile computing. Thus a model integration of ANDROID platform with a desktop application can be utilized for disaster management applications and disaster management which can be of many types varying from natural disaster, accident, fire, theft. So we are thinking of in cooperating various constraints in our application like, Injuries due to accidents are among the leading causes of hospitalization in elderly persons, often resulting in a rapid decline in functionality and death. The fast and unique response can improve the victim's outcome, but this is often lacking when the injured person lives alone and the nature of the injury is so bad to call for help.

The lack of efficient disaster management system that will help in times of need. One common scenario during disasters is that

the activity of rescue and relief is not well-coordinated. This increases a need for a well-coordinated disaster management system that can be coordinated by a central entity such as administrator. Since the use of Android smartphones has attracted millions of people, the disaster management system was implemented as a smartphone application using Google's Android operating system. The disaster management system monitor both victim and rescue worker. It finds out the rescue worker which is nearest to the victim and sends him an alert to help the victim.

2. PROBLEM STATEMENT

Over the years, some countries have been in different kinds of disaster which have claimed many lives and damaged lots of properties. In disaster prone countries like India, success of reconstruction & rehabilitation projects are very important for normalization of life in disaster affected areas. Injuries due to accidents are among the leading causes of hospitalization in elderly persons, often resulting in a rapid decline in functionality and death.

3. LITERATURE SURVEY

Considering worldwide systems for emergency reporting regardless of their communication method where it's wired or wireless, majorly we studied some unique parameters of the systems which will help us to define the strong objectives about our proposed systems. Below listed generation wise systems gives us the fair idea about the survey we had done.

Closed-Circuit Television (CCTV)

Closed-circuit television (CCTV) is the use of cameras and its wired or wireless network to transmit a signal to its DVR. It can be deployed as a point to point or point to multipoint links between camera and monitor. These are mainly used in surveillance areas where they are needed from shops to airports etc. In mechanical and production plants, these video cameras are used to monitor and take decisions accordingly while at one room only. Some places like the heavy heat generated while molding metal or another area where worker can't sustain that environment that time such CCTV are more useful and most suited one. Depends upon the requirement these CCTV operate continuously or time being to a monitor. Now a day we have advanced Digital Video Recorders (DVRs), which records 24 hours for many years. It can continuously run and record it in some storage like disk or tape. Also, these CCTV supports IP based monitoring and centralized network-based storage such as cloud.

Advantage and disadvantage:

1. It can work and may be placed anywhere.
2. DVR should always be on.

Smoke Detectors

Smoke detector systems are Emergency detection system in case of fire which generates smoke first. Such detectors are widely

used in areas where there are big facilities like factories and hotels. These systems report the issue to some kind of audible alarm to alert public around it. Older smoke detectors were using the physical process of ionization whereas latest technology enables us to use the photoelectric diode sense the smoke in the air and send an alarm after it. In large areas like factories, it runs mainly on the power supply and not on batteries.

Advantage and disadvantage:

1. It can detect fire easily and accurately. 2] It can do it only once not repeatedly.
2. Natural Disaster Monitor App (Developed by Dominic925)

This smartphone-based app gives you real-time updates on any global natural calamities like earthquake, tsunami, cyclone, floods, and volcano eruptions on the backdrop of a Google earth map. The app makes use of the alerts published by the Global Disaster Alert and Coordination System (GDACS). The app shows icons on the map with colours-green, orange, and red etc. each indicating the severity of the natural calamity. On clicking the respective icons, the list shows date and time, region, disaster type and other related details of the calamity.

Advantage and disadvantage:

1. It shows disasters on Google maps.
2. It cannot help and coordinate and help victims.

4. PROPOSED SYSTEM




Fig 1: System Architecture

4.1 Survivor

4.1.1 Registration

In this module a survivor will send name and location to admin using smartphone.

4.1.2 GPS

In this module, if GPS is on the correct latitude and longitude will be given to admin.

4.1.3 Rescue worker

In this module, the admin will find the nearest rescue worker

Tsunami Alert (Developed Palta Software)

This application is capable and built to help people living along the coastal lines across Pacific and the Indian Ocean, who witnessed the large-scale devastation by the 2004 Tsunami. The main feature of the application is that a user will get real-time updates from US government owned NOAA in every five minutes. It will also give details about the area affected, the location of the earthquake and also provide with tips on how to react to it. In Tsunami Alert app, the user will have the option to select 5 main regions- one US and Canada, Pacific, Hawaii, Indian Ocean and the Caribbean Sea.

Advantage and disadvantage:

1. It gives perfect Tsunami alert.
2. It cannot help and coordinate and help victims.

Help Me

Another very important mobile app which deals with disaster environment is called HelpMe. It introduces a new approach to building the ad-hoc network using Wi-Fi to enable Android-based smartphones to communicate during disaster time. It works without the help of any GSM operator, and smartly forwards the message on the hop-to-hop basis. It has centralized HelpMeserver to keep a log of all happening about an emergency, once service is restored. This information from a cell phone in knowing whereabouts of the missing person.

Advantage and disadvantage:

1. It helps using the AdHoc network. 2] It cannot use any other network.

and notify him the location of the survivor for help.

4.1.4 AES

In this module, the data on the server will be secured using AES (Advanced Encryption Standard) algorithm.

4.2 Rescue worker

4.2.1 Registration

In this module a rescue worker will register to admin for helping the survivors.

4.2.2 GPS

In this module, if GPS is on the correct latitude and longitude will be given to admin.

4.2.3 Map

In this module, the rescue worker can see the survivor on his app and get the correct distance from him and survivor..

4.2.4 Notifications

In this module, the admin will send notifications to rescue worker for further help.

4.2.5 AES

In this module, the data on the server will be secured using AES (Advanced Encryption Standard) algorithm.

4.3 Admin

4.3.1 Survivor Monitoring:

In this module the admin will continue monitor survivor where abouts on his app.

4.3.2 Rescue Worker Monitoring:

In this module, the admin will continue monitor rescue worker and see if he is really near the survivor.

4.3.3 Notifications:

In this module, the admin will find the nearest rescue worker and send him to the survivor by sending notifications about the location of survivor and alert the survivor that help is coming.

4.3.4 AES:

In this module, AES algorithm will be used to handle encryption and decryption of data from the server.

5. CONCLUSION

In this paper, we propose android app, which is designed to network smartphones in disaster recovery. App includes two components: the messaging system that provides data communications for rescue workers, and the self-rescue system that groups the smartphones of trapped survivors

together, energy-efficiently discovers nearby messaging nodes and sends out emergency messages including location and position information. App is implemented as a prototype application on the Android platform using the WiFi interface and cellular interface to provide several ways of communications. App can accomplish various message transmissions with affordable power consumption and delay, and greatly reduce the energy consumption of sending out emergency messages by grouping and wake-up schedule.

6. ACKNOWLEDGMENTS

Our thanks to the experts who have contributed towards development of the template.

7. REFERENCES

- [1] K. Lorincz, D. Malan, T. Fulford-Jones, A. Nawoj, A. Clavel, V. Shnayder, G. Mainland, M. Welsh, and S. Moulton, "Sensornetworks for emergency response: challenges and opportunities," *Pervasive Computing, IEEE*, vol. 3, no. 4, pp. 16–23, 2004.
- [2] S. George, W. Zhou, H. Chenji, M. Won, Y. O. Lee, A. Pazarloglou, R. Stoleru, and P. Barooah, "Distressnet: a wireless ad hoc and sensor network architecture for situation management in disaster response," *Communications Magazine, IEEE*, vol. 48, no. 3, pp. 128–136, 2010.
- [3] G. Zussman and A. Segall, "Energy efficient routing in ad hoc disaster recovery networks," in *Proc. IEEE INFOCOM*, 2003, pp. 682–691.
- [4] A. Fujihara and H. Miwa, "Disaster evacuation guidance using opportunistic communication: The potential for opportunity-based service," in *Big Data and Internet of Things: A Roadmap for Smart Environments*, 2014, pp. 425–446.
- [5] "Powerful quake ravages china, killing thousands" <http://www.nytimes.com/2008/05/13/world/asia/13china.html>.
- [6] X. Sun, Z. Lu, W. Hu, and G. Cao, "Symdetector: Detecting sound-related respiratory symptoms using smartphones," in *Proc. ACM UbiComp*, 2015, pp. 97–108.
- [7] M.-R. Ra, B. Liu, T. F. La Porta, and R. Govindan, "Medusa: A programming framework for crowd-sensing applications," in *Proc. ACM MobiSys*, 2012, pp. 337–350.
- [8] C. Shi, V. Lakafosis, M. H. Ammar, and E. W. Zegura, "Serendipity: enabling remote computing among intermittently connected mobile devices," in *Proc. ACM MobiHoc*, 2012, pp. 145–154.
- [9] Y. Wang, J. Liu, Y. Chen, M. Gruteser, J. Yang, and H. Liu, "E-eyes: device-free location-oriented activity identification using fine-grained wifi signatures," in *Proc. ACM MobiCom*, 2014, pp. 617–628.
- [10] N. Suzuki, J. L. F. Zamora, S. Kashihara, and S. Yamaguchi, "Soscact: Location estimation of immobilized persons through sos message propagation," in *Proc. INCoS*, 2012, pp. 428–435.