

{tag}

{/tag}

IJCA Proceedings on National Conference on
Innovative Paradigms in Engineering & Technology 2013

© 2013 by IJCA Journal

NCIPET2013 - Number 7

Year of Publication: 2013

Authors:

Shireen T. Sheikh

D. J. Dahigaonkar

{bibtex}ncipet1408.bib{/bibtex}

Abstract

A Fully differential OTA is designed and analyzed in this paper which has Transconductance of 8ms over GHz Frequency range and worked on supply voltage of 1. 4V. Previous OTAs seldom worked over 200MHz whereas, the higher frequency OTA can be used as basic building block in several RF as well as microwave applications. The performance analysis of conventional OTA techniques, using advanced process technology that can break the previous frequency barrier is a key objective of this paper. Different topologies of OTA have been studied and analyzed. The appropriate topology which has a perfect balance between complexity and performance is suggested. The research includes analysis and comparison of

OTA topologies from the point of view of effect of technology scaling on various performance parameters such as Gain, Power consumption, Frequency range, supply voltage, temperature, etc. The OTA has been simulated by using ADS Tool with 180nm as target technology.

Refer

ences

- T. Deliyannis, Y. Sun and J. K. Fidler, Continuous-Time Active Filter Design. Boca Raton, FL: CRC Press.
- R. L. Geiger and E. Sanchez-Sinencio, "Active filter design using operational Transconductance amplifiers: A tutorial", IEEE Circuit and Device Magazine, vol. 1, pp. 20-32, Mar. 1985.
- Bogdan Pankiewicz, Mariusz Madej, "Design of high frequency OTA in 130nm CMOS technology with single 1.2V power supply", 2nd International Conference on Information Technology, Gdansk, POLAND, organised by Photonic society of Poland, 2010.
- You Zheng and Carlos E. Saavedra, "Feedforward-Regulated Cascode OTA for Gigahertz Applications", IEEE Transactions on Circuits and Systems, 2008.
- Anil Kavala, Kondekar P. N, and Yang Sun, "A low voltage, low power linear pseudo Differential OTA for ultra-high frequency applications", IEEE, International workshop on Antenna Technology, 2009.
- M. Siripruchyanun & W. Jaikla, "Current controlled current conveyor Transconductance Amplifier (CCTA): a building block for analog signal processing", Electrical Eng (2008) 90:443–453 Springer-Verlog, 2008.
- Berg, Y. , "Novel ultra low voltage Transconductance amplifier", Proceedings of 2010 IEEE International Symposium on Circuits and Systems, 2010.
- Milad Razzaghpour & Abbas Golmakani, "An ultra-low-voltage ultra-low-power OTA with Improved gain-bandwidth product", IEEE International Conference on microelectronics, 2008.
- N. Raj, R. K. Sharma, A. Jasuja and R. Garg, "A LowPower OTA for Biomedical Applications", Cyber Journal: A multi disciplinary Journal in science & technology, 2010.
- Montree Kumngern, "High Frequency and High Precision CMOS Full-Wave Rectifier", IEEE International Conference on Communication Systems (ICCS), 2010.
- Sheng-Wen Pan¹, Chiung-Cheng Chuang², Chung-Huang Yang³, Yu-Sheng Lai. , "A novel OTA with dual bulk-driven input stage", IEEE International Symposium on Circuits and Systems, 2009.
- Y. L. Li, K. F. Han, X. Tan, N. Yan and H. Min, "Transconductance enhancement method for Operational Transconductance amplifiers", Electronics Letters (International journal on rapid Communication by IET, UK), 2010.
- Daoud, H. ; Bennour, S. ; Fakhfakh, M. ; Loulou, M. , "Optimizing CMOS operational Transconductance amplifiers through heuristic programming", 3rd IEEE International Conference on Design and Technology of Integrated Systems in Nano scale Era, 2008.

Index Terms

Computer Science

Performance Analysis

Keywords

Operational Transconductance Amplifier (ota) Cmos Transconductance Frequency Range.